



Light up your world

LED PROFESSIONAL PRICE LIST 2024-25

Indoor | Retail | Industrial | Outdoor | Solar | Landscape

ABOUT US

Edisson India, established in 2016, is a dynamic and innovative company dedicated to revolutionizing the lighting industry. Specializing in the manufacturing of LED lights for residential, commercial, and outdoor applications, Edison has quickly emerged as a leading provider of cutting-edge lighting solutions in India.

Our product portfolio encompasses a wide range of LED lights designed for various settings, including houses, streets, playgrounds, sports complexes, and more. We take pride in our ability to cater to the diverse needs of our customers by offering innovative lighting solutions that enhance visibility, safety, and aesthetics.

At Edison, we believe in the power of renewable energy sources. As part of our commitment to sustainability, we have ventured into solar lighting, providing eco-friendly lighting options that harness the power of the sun. Additionally, we have expanded our reach to industries such as horticulture and fishericulture, developing specialized lighting solutions tailored to meet the unique requirements of these sectors.

With a team of highly motivated and energetic professionals, Edison fosters a culture of creativity, collaboration, and continuous improvement. Our young and dynamic workforce is driven by a shared passion for innovation, ensuring that we stay at the forefront of the industry.

In addition to our manufacturing capabilities, Edison excels in OEM (Original Equipment Manufacturer) operations. We have established strong partnerships with numerous businesses, offering customized LED lighting solutions that meet their specific requirements. Our large-scale OEM operations allow us to serve a diverse clientele while maintaining the highest standards of quality and efficiency.

Notably, Edison takes immense pride in our brightest light for highways, boasting a maximum intensity of 140 lumens per watt. This groundbreaking technology ensures unparalleled brightness and visibility, enhancing road safety and minimizing energy consumption. By pushing the boundaries of lighting efficiency, we are actively contributing to creating a safer and more sustainable environment.

At Edison, our mission is to provide innovative, energy-efficient lighting solutions that enhance the quality of life for people across India. We are committed to pushing the boundaries of lighting technology, consistently delivering exceptional products and services to our customers.

As we look to the future, Edison India is poised for further growth and success, continuing to lead the way in the lighting industry through our unwavering dedication to excellence, sustainability, and customer satisfaction.



LED Deco Bulb

Deco Series

- PC heat sink powder coated white with PC diffuser
- Available in B22 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Deco/0.5W	0.5W	3K/4K/6K R/G/B/P	60	180/-



LED Bulb

Lucus Series

- Aluminium/PC heat sink powder coated white with PC diffuser
- Available in B22 & E27 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Lucus/3W	3W	3K/4K/6K	60	105/-
Lucus/5W	5W	3K/4K/6K	60	115/-
Lucus/7W	7W	3K/4K/6K	60	125/-
Lucus/9W	9W	3K/4K/6K	60	135/-
Lucus/12W	12W	3K/4K/6K	60	229/-
Lucus/15W	15W	3K/4K/6K	60	249/-
Lucus/18W	18W	3K/4K/6K	60	349/-



LED High Wattage Bulb

Chandra Series

- Aluminium/PC heat sink powder coated white with PC diffuser
- Available in B22 & E27 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Chandra/20W	20W	3K/4K/6K	10	570/-
Chandra/25W	25W	3K/4K/6K	10	620/-
Chandra/30W	30W	3K/4K/6K	10	670/-
Chandra/40W	40W	3K/4K/6K	10	870/-
Chandra/50W	50W	3K/4K/6K	10	1150/-





LED Candle Light

Poco Series

- PC heat sink powder coated white with PC diffuser
- Available in B22 & E27 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Poco/3W	3W	3K/4K/6K	60	199/-



LED Inverter Bulb

Ignis Series

- Aluminium/PC heat sink powder coated white with PC diffuser
- Available in B22 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Ignis/9W	9W	3K/4K/6K	20	580/-
Ignis/12W	12W	3K/4K/6K	20	690/-



LED T-Bulb

Aqua Series

- PC heat sink powder coated white with PC diffuser
- Available in B22 Base caps
- Applications : General Lighting, Residences, Corridors, Retail, Staircase & Showrooms

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Aqua/10W	10W	3K/4K/6K	20	440/-
Aqua/15W	15W	3K/4K/6K	20	490/-

LED Batten & Tube Light (PC)

Nakshatra-E Series

Slim LED batten with (PC) square-shape diffuser, grey end cap, housing is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nakshatra-E/10W	10W	3K/4K/6K	20	510/-
Nakshatra-E/18W	18W	3K/4K/6K	20	650/-
Nakshatra-E/20W	20W	3K/4K/6K	20	680/-
Nakshatra-E/22W	22W	3K/4K/6K	20	690/-
Nakshatra-E/36W	36W	3K/4K/6K	20	750/-



LED Batten & Tube Light (PC)

Nakshatra-M Series

Slim LED batten with (Aluminium) square-shape diffuser, grey end cap, housing is an ideal replacement solution for existing battens/fluorescent lamps with elegantly designed end caps with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nakshatra-M/18W	18W	3K/4K/6K	20	840/-
Nakshatra-M/22W	22W	3K/4K/6K	20	920/-



LED T8 Retrofit Tube Light

Tara Series

High bright LED retrofit tube light with PC housing with powder coating and polycarbonate diffuser with high efficacy, suitable for replacement of existing T8 & T12.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Tara/10W	10W	3K/4K/6K	20	560/-
Tara/18W	18W	3K/4K/6K	20	770/-
Tara/22W	22W	3K/4K/6K	20	820/-





LED T8 Retrofit Tube Light

Tara-E Series

High bright LED retrofit tube light with Aluminium housing with powder coating and polycarbonate diffuser with high efficacy, suitable for replacement of existing T8 & T12.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Tara-E/18W	18W	3K/4K/6K	20	1200/-
Tara-E/20W	20W	3K/4K/6K	20	1230/-



LED T5 Retrofit Tube Light

Tara-M Series

High bright LED retrofit tube light with PC housing with powder coating and polycarbonate diffuser with high efficacy, suitable for replacement of existing T5 florescent lamp.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Tara-M/18W	18W	3K/4K/6K	20	1550/-



CRCA Batten with T5 & T8 Retrofit

Crux-I Series

Universal battens with powder coated CRCA housing complete with prewired accessories.

Suitable for T5 and T8/T12 LED tubes.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Crux-i/1x18W	18W	3K/4K/6K	10	610/-
Crux-i/2x18W	36W	3K/4K/6K	10	630/-
Crux-i/1x20W	20W	3K/4K/6K	10	650/-
Crux-i/2x20W	40W	3K/4K/6K	10	660/-

LED Concealed Light

Dhruvi Series

Recess-mounting round LED concealed designed in Polycarbonate housing with Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Dhruvi/5W	5W	3K/4K/6K	50	310/-
Dhruvi/7W	7W	3K/4K/6K	50	360/-
Dhruvi/9W	9W	3K/4K/6K	50	380/-



LED COB Concealed Light

Lyra Series

Recess-mounting round LED concealed designed in Polycarbonate housing with Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Lyra/7W	7W	3K/4K/6K	60	540/-
Lyra/9W	9W	3K/4K/6K	60	620/-
Lyra/12W	12W	3K/4K/6K	60	750/-



LED Surface Cylindrical Light

Joya Series

Surface-mounting Cylindrical LED downlighter designed in Aluminium housing with revolutionary Flicker controlled technology to reduce harmful invisible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Joya/9W	9W	3K/4K/6K	20	1260/-
Joya/12W	12W	3K/4K/6K	20	1540/-
Joya/18W	18W	3K/4K/6K	20	1950/-



LED Recess Panel (PC)

Canopus-R Series

Recess-mounting round / square LED panel designed in Polycarbonate housing with backlit Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Canopus-R/7W	7W	3K/4K/6K	20	540/-
Canopus-R/12W	12W	3K/4K/6K	20	890/-
Canopus-R/15W	15W	3K/4K/6K	20	960/-
Canopus-R/18W	18W	3K/4K/6K	20	1350/-
Canopus-R/22W	22W	3K/4K/6K	20	1520/-



LED Surface Panel (PC)

Canopus-S Series

Surface-mounting round / square LED panel designed in Polycarbonate housing with backlit Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Canopus-S/7W	7W	3K/4K/6K	20	660/-
Canopus-S/12W	12W	3K/4K/6K	20	1040/-
Canopus-S/15W	15W	3K/4K/6K	20	1180/-
Canopus-S/18W	18W	3K/4K/6K	20	1540/-
Canopus-D/22W	22W	3K/4K/6K	20	1760/-



LED Edgelit Panel (AL)

Capella Series

Recess-mounting round / square LED panel designed in Aluminium housing with edgelit Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Capella/7W	7W	3K/4K/6K	20	820/-
Capella/12W	12W	3K/4K/6K	20	1190/-
Capella/15W	15W	3K/4K/6K	20	1380/-
Capella/18W	18W	3K/4K/6K	20	1650/-
Capella/22W	22W	3K/4K/6K	20	1950/-
Capella/24W	24W	3K/4K/6K	20	2060/-





LED Surface Panel (AL) Capella-CS Series

Surface-mounting round / square LED panel designed with excellent thermally managed Aluminium pressure die-cast housing. Flicker controlled technology to reduce harmful in visible flicker present in LED lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Capella-CS/7W	7W	3K/4K/6K	20	1240/-
Capella-CS/12W	12W	3K/4K/6K	20	1520/-
Capella-CS/15W	15W	3K/4K/6K	20	1620/-
Capella-CS/18W	18W	3K/4K/6K	20	2120/-
Capella-CS/20W	20W	3K/4K/6K	20	2160/-



LED Deep Recess Downlight Nexus Series

Deep Recess-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nexus/6W	6W	3K/4K/6K	12	520/-
Nexus/9W	9W	3K/4K/6K	12	720/-
Nexus/12W	12W	3K/4K/6K	12	1050/-
Nexus/15W	15W	3K/4K/6K	12	1180/-



LED Recess Downlight Venus Series

Recess-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing with heat-dissipating fins for larger surface area, finished in epoxy powder-coated white

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Venus/5W	5W	3K/4K/6K	20	570/-
Venus/8W	8W	3K/4K/6K	20	640/-
Venus/12W	12W	3K/4K/6K	20	1090/-

LED Backlit Panel (CRCA)

Cygnus Series

Recess-mounting back-lit LED 2X2 tile in CRCA housing with full-opal diffuser suitable for Armstrong/Grid ceilings.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Cygnus/24W	24W	3K/4K/6K	2	2100/-
Cygnus/36W	36W	3K/4K/6K	2	3600/-
Cygnus/45W	45W	3K/4K/6K	2	4200/-



1'X1'

1'X2'

2'X2'

1'X4'

LED Backlit Panel (CRCA)

Cygnus-S Series

Surface-mounting back-lit LED 2X2 tile in CRCA housing with full-opal diffuser suitable for surface ceilings.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Cygnus-S/24W	24W	3K/4K/6K	2	2600/-
Cygnus-S/36W	36W	3K/4K/6K	2	4000/-
Cygnus-S/45W	45W	3K/4K/6K	2	4800/-



1'X1'

1'X2'

2'X2'


1'X4'

LED Edgelit Panel (AL)

Cerus Series

Recess-mounting ultra-slim LED 2x2 edge-lit tile in aluminium extruded housing with full opal diffuser suitable for perfect lighting conditions for most varied visual tasks in offices and general areas.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Cerus/36W	36W	3K/4K/6K	2	4800/-
Cerus/45W	45W	3K/4K/6K	2	5800/-



1'X1'


2'X2'



Round Suspended Backlite Light Dexa Series

Surface-mounting back-lit LED in CRCA/AL housing with full diffuser suitable for suspended application.


Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Dexa/24W	24W	3K/4K/6K	1	POR
Dexa/36W	36W	3K/4K/6K	1	POR
Dexa/40W	40W	3K/4K/6K	1	POR
Dexa/45W	45W	3K/4K/6K	1	POR
Dexa/60W	60W	3K/4K/6K	1	POR



LED Channel Recess Light Verna Series

LED aluminium extruded Recess luminaire for indoor lighting solution. Offers excellent energy saving and maintenance-free operation.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Verna/24W	24W	3K/4K/6K	2	POR
Verna/36W	36W	3K/4K/6K	2	POR
Verna/40W	40W	3K/4K/6K	2	POR
Verna/60W	60W	3K/4K/6K	2	POR
Verna/80W	80W	3K/4K/6K	2	POR



LED Channel Suspended Light Verna-X Series

LED aluminium extruded Suspended luminaire for indoor lighting solution. Offers excellent energy saving and maintenance-free operation.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Verna/24W	24W	3K/4K/6K	2	POR
Verna/36W	36W	3K/4K/6K	2	POR

LED Channel Suspended Light Zoom Series

LED aluminium extruded Suspended luminaire for indoor lighting solution. Offers excellent energy saving and maintenance-free operation with Narrow Beam Light Output.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Zoom/28W	28W	3K/4K/6K	2	POR
Zoom/36W	36W	3K/4K/6K	2	POR



LED Round Decorative Light (AL) Crypto Series

Surface-mounting back-lit LED in AL housing with full diffuser suitable for suspended application.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Crypto/20W	20W	3K/4K/6K	1	POR
Crypto/28W	28W	3K/4K/6K	1	POR
Crypto/40W	40W	3K/4K/6K	1	POR
Crypto/60W	60W	3K/4K/6K	1	POR
Crypto/80W	80W	3K/4K/6K	1	POR



LED Movable COB Light

Nector Series

Recess-mounting adjustable COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with clear diffuser and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nector/3W	3W	3K/6K	30	675/-
Nector/6W	6W	3K/6K	20	975/-
Nector/9W	9W	3K/6K	20	1220/-
Nector/12W	12W	3K/6K	20	1340/-
Nector/18W	18W	3K/6K	10	2040/-
Nector/24W	24W	3K/6K	10	2650/-
Nector/30W	30W	3K/6K	8	3640/-



LED Deep Trimless COB Light

Lexus Series

Recess-mounting adjustable COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with clear diffuser and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Lexus/7W	7W	3K/6K	20	1175/-
Lexus/12W	12W	3K/6K	20	1540/-
Lexus/15W	15W	3K/6K	20	2050/-
Lexus/18W	18W	3K/6K	20	2830/-



LED COB Light with Reflector

Levo Series

Recess-mounting fix COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with multi colour reflector and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Levo/5W	5W	3K/6K	20	770/-
Levo/10W	10W	3K/6K	20	1150/-
Levo/15W	15W	3K/6K	20	2050/-





LED COB Light Adjustable Canus Series

LED recessed adjustable downlight made up of high-grade aluminum die-cast housing with spectacular reflector with 30/45-degree beam angle. It is featured with advanced COB LED and focus can be adjusted as per requirement

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Canus/5W	5W	3K/4K/6K	20	975/-
Canus/7W	7W	3K/4K/6K	20	1150/-
Canus/9W	9W	3K/4K/6K	20	1550/-
Canus/15W	15W	3K/4K/6K	10	2050/-
Canus/18W	18W	3K/4K/6K	10	2850/-



LED Ultra Deep COB Light Vector Series

LED aluminium extruded Recess luminaire for indoor lighting solution. Offers excellent energy saving and maintenance-free operation.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Vector/7W	7W	3K/4K/6K	20	910/-
Vector/12W	12W	3K/4K/6K	20	1350/-
Vector/15W	15W	3K/4K/6K	20	1950/-



LED COB Dimable Light Deca Series

LED recessed adjustable Dimable downlight made up of high-grade aluminum die-cast housing with spectacular reflector with 25/30/45-degree beam angle. It is featured with advanced COB LED and focus can be adjusted as per requirement

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Deca/9W	9W	3K/4K/6K	20	1850/-
Deca/12W	12W	3K/4K/6K	20	2250/-
Deca/15W	15W	3K/4K/6K	20	2850/-
Deca/18W	18W	3K/4K/6K	20	3620/-

LED Lazer COB Light

Lazer Series

Recess-mounting Lazer COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with reflector and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Lazer/3W	3W	3K/6K	20	475/-
Lazer/6W	6W	3K/6K	20	750/-
Lazer/9W	9W	3K/6K	20	980/-
Lazer/12W	12W	3K/6K	20	1350/-
Lazer/15W	15W	3K/6K	20	1650/-



LED Dual COB Light

Sigma Series

Recess-mounting adjustable dual COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with clear diffuser and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Sigma/6W	6W	3K/6K	10	975/-
Sigma/12W	12W	3K/6K	10	1480/-
Sigma/18W	18W	3K/6K	5	2250/-
Sigma/24W	24W	3K/6K	5	3250/-



LED Telescopic COB Light

Delta Series

Recess-mounting Telescopic COB LED downlights made of extruded aluminium fins and high-lumen LED as a light source with multi colour reflector and separate electronic driver

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Delta/7W	7W	3K/6K	10	1175/-
Delta/12W	12W	3K/6K	10	1950/-
Delta/18W	18W	3K/6K	10	2780/-





LED Cylindrical COB Light Dexa Series

Cylindrical surface-mounting round LED downlighter designed with excellent thermally managed aluminium pressure die-cast housing finished in epoxy powder-coated white to deliver high efficacy light output and uniformity, utilising COB technology


Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Dexa/10W	10W	3K/6K	10	2600/-
Dexa/15W	15W	3K/6K	10	3400/-
Dexa/20W	20W	3K/6K	10	4800/-




LED Track Light Neo Series

Track-based spot light with high-efficiency reflector, makes it ideal for lighting-up retail spaces with bright and crisp light throw.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Neo/10W	10W	3K/6K	20	1275/-
Neo/20W	20W	3K/6K	20	2250/-
Neo/30W	30W	3K/6K	20	3620/-





LED Hi-bay Light Aqua Series

Innovative indoor industrial IP65 LED Hi-bay luminaire with high lumen efficacy and aluminium die-cast housing, offering perfect LED solution for outdoor & industrial application.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Aqua/50W	50W	3K/6K	2	9050/-
Aqua/70W	70W	3K/6K	2	10500/-
Aqua/80W	80W	3K/6K	2	10800/-
Aqua/100W	100W	3K/6K	2	12500/-
Aqua/120W	120W	3K/6K	2	15800/-
Aqua/150W	150W	3K/6K	2	16200/-
Aqua/200W	200W	3K/6K	2	18200/-



LED Well Glass Mercury Series

Integral high-efficiency IP65 LED well-glass luminaire with aluminium die-cast housing and bowl-shaped polycarbonate diffuser, offering potential for high energy savings over conventional luminaires.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Mercury/25W	25W	3K/6K	18	3120/-
Mercury/30W	30W	3K/6K	18	3180/-
Mercury/35W	35W	3K/6K	18	3650/-
Mercury/40W	40W	3K/6K	18	3780/-
Mercury/45W	45W	3K/6K	18	3850/-
Mercury/60W	60W	3K/6K	10	5800/-
Mercury/70W	70W	3K/6K	10	7200/-



LED Flame Proof Well Glass Flamo Series

Integral high-efficiency IP65 LED flame proof well-glass luminaire with aluminium die-cast housing and bowl-shaped polycarbonate diffuser, offering potential for high energy savings over conventional luminaires.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Flamo/30W	30W	3K/6K	2	POR
Flamo/40W	40W	3K/6K	2	POR
Flamo/45W	45W	3K/6K	2	POR
Flamo/60W	60W	3K/6K	2	POR

LED Bay Light Doraco Series

High-efficiency IP65 Flameproof LED bay light luminaire with aluminium die-cast housing and high grade diffuser

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Doraco/30W	30W	3K/6K	1	POR
Doraco/40W	40W	3K/6K	1	POR
Doraco/50W	50W	3K/6K	1	POR
Doraco/60W	60W	3K/6K	1	POR
Doraco/70W	70W	3K/6K	1	POR
Doraco/80W	80W	3K/6K	1	POR
Doraco/100W	100W	3K/6K	1	POR
Doraco/120W	120W	3K/6K	1	POR
Doraco/150W	150W	3K/6K	1	POR



LED Canopy Light Canus Series

Innovatively designed recess-mounting bottom-opening LED canopy light, IP65 high-grade aluminium housing with frame, and elegantly designed extruded aluminium heat sink for efficient thermal management, sturdiness, excellent corrosion resistance, dust-free and zero-maintenance luminaire suitable for petrol pump & Toll Plaza lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Canus/60W	60W	3K/6K	2	7200/-
Canus/80W	80W	3K/6K	2	10500/-
Canus/100W	100W	3K/6K	2	12500/-



LED Bulkhead Alto Series

Industrial bulkhead luminaire having IP65 design with aluminium die cast housing and vandal-resistant cover finished in epoxy powder-coated housing.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Alto/10W	10W	3K/6K	2	2600/-
Alto/12W	12W	3K/6K	2	2800/-





LED Weather Proof Light Duro Series

Elegantly designed IP65 fixture with integrated LED's made of polycarbonate housing and highly translucent polycarbonate diffuser, suitable for areas prone to corrosion and high impact.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Duro20W	20W	3K/6K	20	5500/-
Duro/40W	40W	3K/6K	10	6800/-



LED Clean Room 2'x2' Light Grus Series

Recess/Surface mounting top/bottom-opening LED cleanroom IP65 (from bottom) zeromaintenance luminaire having highly translucent opal diffuser is a perfect energy-saving solution for Pharma industries

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Grus/24W	24W	3K/6K	2	POR
Grus/36W	36W	3K/6K	2	POR
Grus/45W	45W	3K/6K	2	POR
Grus/60W	60W	3K/6K	2	POR



LED Street Light Shine Series

Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and PC cover in the front and lens for batwing light distribution.



Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Shine/25W	25W	3K/6K	12	3200/-
Shine/36W	36W	3K/6K	12	3600/-
Shine/40W	40W	3K/6K	12	3800/-
Shine/45W	45W	3K/6K	12	4200/-
Shine/60W	60W	3K/6K	12	5800/-
Shine/70W	70W	3K/6K	12	7400/-
Shine/90W	90W	3K/6K	6	8800/-
Shine/100W	100W	3K/6K	6	9800/-
Shine/110W	110W	3K/6K	6	10500/-
Shine/120W	120W	3K/6K	6	11200/-

LED Street Light Indus Series

Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and toughened glass in the front and lens for batwing light distribution.



Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Indus/20W	20W	3K/6K	12	4100/-
Indus/30W	30W	3K/6K	1	4600/-
Indus/45W	45W	3K/6K	1	6300/-
Indus/60W	60W	3K/6K	1	7200/-
Indus/70W	70W	3K/6K	1	9000/-
Indus/80W	80W	3K/6K	1	9200/-
Indus/90W	90W	3K/6K	1	9400/-
Indus/110W	110W	3K/6K	1	10300/-
Indus/120W	120W	3K/6K	1	14200/-
Indus/150W	150W	3K/6K	1	17200/-
Indus/160W	160W	3K/6K	1	18500/-
Indus/180W	180W	3K/6K	1	20500/-
Indus/200W	200W	3K/6K	1	22600/-
Indus/220W	220W	3K/6K	1	22800/-
Indus/250W	250W	3K/6K	1	32000/-



LED Street Light PC Lenses Indus-M Series

Highly efficient IP66 LED streetlight with high-power LEDs; having aluminium pressure die-cast housing and PC cover in the front and lens for batwing light distribution.


Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Indus-M/30W	30W	3K/6K	1	3800/-
Indus-M/45W	45W	3K/6K	1	4800/-
Indus-M/60W	60W	3K/6K	1	6800/-
Indus-M/70W	70W	3K/6K	1	7200/-
Indus-M/90W	90W	3K/6K	1	8500/-
Indus-M/100W	100W	3K/6K	1	8800/-
Indus-M/120W	120W	3K/6K	1	10800/-
Indus-M/150W	150W	3K/6K	1	16200/-
Indus-M/200W	200W	3K/6K	1	22200/-
Indus-M/250W	250W	3K/6K	1	22800/-



LED Street Light Toughened Glass Indus-T Series

Highly efficient Front-openable IP66 LED streetlight with aluminium pressure die-cast housing, toughened glass in the front and peanut lens for batwing light distribution to ensure uniform light distribution ,higher spacing between poles and maintenance-free system.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Indus-T/70W	70W	3K/6K	1	9400/-
Indus-T/90W	90W	3K/6K	1	10200/-
Indus-T/100W	100W	3K/6K	1	10800/-
Indus-T/120W	120W	3K/6K	1	14500/-
Indus-T/150W	150W	3K/6K	1	18200/-
Indus-T/200W	200W	3K/6K	1	23200/-
Indus-T/250W	250W	3K/6K	1	29500/-



LED Flood Light

Lava Series

High-efficiency IP65 front-openable innovative LED floodlight with pressure die-cast aluminium housing and toughened glass in the front with unique flood optics to ensure uniform distribution and savings upto 50% as compared to conventional system.



Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Lava/20W	20W	3K/6K	12	3200/-
Lava/30W	30W	3K/6K	12	3800/-
Lava/40W	40W	3K/6K	12	4400/-
Lava/50W	50W	3K/6K	6	5200/-
Lava/60W	60W	3K/6K	6	5800/-
Lava/70W	70W	3K/6K	6	6400/-
Lava/80W	80W	3K/6K	6	6900/-
Lava/100W	100W	3K/6K	6	7600/-
Lava/120W	120W	3K/6K	6	9200/-
Lava/150W	150W	3K/6K	4	12200/-
Lava/200W	200W	3K/6K	4	15600/-
Lava/250W	250W	3K/6K	4	23200/-

LED Flood Light Back Opening

Blaze Series

High-efficiency IP66 LED floodlight with pressure die-cast aluminium housing in rectangle shape and toughened glass in the front. Best suitable for area lighting.



Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Blaze/50W	50W	3K/6K	8	5400/-
Blaze/70W	70W	3K/6K	1	7200/-
Blaze/80W	80W	3K/6K	1	8400/-
Blaze/100W	100W	3K/6K	1	10300/-
Blaze/120W	120W	3K/6K	1	12800/-
Blaze/150W	150W	3K/6K	1	15400/-
Blaze/200W	200W	3K/6K	1	23400/-
Blaze/250W	250W	3K/6K	1	25200/-
Blaze/300W	300W	3K/6K	1	34800/-
Blaze/350W	350W	3K/6K	1	36600/-
Blaze/400W	400W	3K/6K	1	38500/-



LED Sports Flood Light Orion-3.0 Series

High-efficiency IP66 innovative LED floodlight with pressure die-cast aluminium housing and PC cover in the front with unique flood optics to ensure uniform distribution and savings upto 50% as compared to conventional system.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Orion-3.0/500W	500W	3K/6K	1	88000/-
Orion-3.0/1000W	1000W	3K/6K	1	150000/-
Orion-3.0/1200W	1200W	3K/6K	1	POR
Orion-3.0/1500W	1500W	3K/6K	1	POR




LED Narrow Beam Flood Light Hexa Series

High-efficiency IP66 LED floodlight with pressure die-cast aluminium housing in Round shape and toughened glass in the front. Best suitable for area lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Hexa/300W	300W	3K/6K	1	42000/-
Hexa/350W	350W	3K/6K	1	44000/-
Hexa/400W	400W	3K/6K	1	48000/-
Hexa/450W	450W	3K/6K	1	50000/-
Hexa/500W	500W	3K/6K	1	52000/-





LED Solar Street Light

Centuri-I Series

Highly efficient IP65 LED Solar Lighting System with built-in high-efficiency Solar Panel, LED Light and long-life Lithium-ion with high-efficiency microprocessorbased charge controller and a motion sensor. Due to compact size, it's easy to mount on a pole top. The light has automatic dusk-to-dawn operation.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Centuri-I/12W	12W	3K/6K	1	POR
Centuri-I/15W	15W	3K/6K	1	POR
Centuri-I/20W	20W	3K/6K	1	POR
Centuri-I/30W	30W	3K/6K	1	POR
Centuri-I/40W	40W	3K/6K	1	POR
Centuri-I/60W	60W	3K/6K	1	POR
Centuri-I/80W	80W	3K/6K	1	POR



LED Solar Bollard

Torus Series

IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Torus/3W	3W	3K/6K	1	12600/-



LED Solar Post-Top

Pluto Series

IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Pluto/12W	12W	3K/6K	1	26000/-
Pluto/15W	15W	3K/6K	1	28000/-
Pluto/20W	20W	3K/6K	1	32000/-

LED Post-Top

Cetus Series

LED Post-top IP65 die-cast aluminium spigot for mounting LED driver and spun aluminium canopy which is painted white inside. Epoxy powder-coated matte black finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Cetus/25W	25W	3K/6K	1	12500/-
Cetus/30W	30W	3K/6K	1	14500/-
Cetus/45W	45W	3K/6K	1	16500/-



LED Suspended Post-Top

Alex Series

LED Post-top IP65 die-cast aluminium spigot for mounting LED driver and spun aluminium canopy which is painted white inside. Epoxy powder-coated matte black finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Alex/60W	60W	3K/6K	1	POR
Alex/120W	120W	3K/6K	1	POR



LED Post-Top

Nelson Series

LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. Powder coated black matt finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nelson/30W	30W	3K/6K	1	33000/-
Nelson/45W	45W	3K/6K	1	36000/-
Nelson/60W	60W	3K/6K	1	55000/-





LED Post-Top Victor Series

LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. Powder coated black matt finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Victor/25W	25W	3K/6K	1	26000/-
Victor/30W	30W	3K/6K	1	28000/-
Victor/45W	45W	3K/6K	1	36000/-
Victor/60W	60W	3K/6K	1	48000/-



LED Post-Top Nector Series

LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. Powder coated black matt finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Nector/30W	30W	3K/6K	1	25000/-
Nector/45W	45W	3K/6K	1	34000/-



LED Post-Top Ringo Series

LED Post-top IP65 elegantly designed die-cast aluminium housing and high grade aluminum heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. 3 nos. die-cast aluminium arms are provided to support the housing. Powder coated black after phosphochromate treatment

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Ringo/30W	30W	3K/6K	1	29000/-
Ringo/45W	45W	3K/6K	1	32000/-
Ringo/60W	60W	3K/6K	1	38000/-
Ringo/90W	90W	3K/6K	1	40000/-

LED Bollard

Grus Series

LED bollard light IP65 aesthetically designed landscape luminaire for diffused lighting. Suitable for architectural outdoor lighting typically giving off light from all sides. Best suitable to illuminate walkways, steps or pathways.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Grus/9W	9W	3K/6K	1	10800/-
Grus/12W	12W	3K/6K	1	12600/-



LED Bollard

Swan Series

LED bollard light IP65 aesthetically designed landscape luminaire for diffused lighting. Suitable for architectural outdoor lighting typically giving off light from all sides. Best suitable to illuminate walkways, steps or pathways.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Swan/9W	9W	3K/6K	1	10200/-
Swan/12W	12W	3K/6K	1	11500/-
Swan/15W	15W	3K/6K	1	14400/-



LED Bollard

Marcus Series

LED bollard light IP65 aesthetically designed aluminium housing landscape luminaire for sturdiness with high power LED as light source.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Marcus/18W	18W	3K/6K	1	18000/-





LED Bollard

Crux Series

LED Post-top IP65 elegantly designed MS housing and high grade aluminum heat sink for efficient thermal management, sturdiness and excellent corrosion resistance. Powder coated black/Gray matt finish.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Crux/9W	9W	3K/6K	1	11400/-
Crux/12W	12W	3K/6K	1	13500/-
Crux/15W	15W	3K/6K	1	17500/-
Crux/24W	24W	3K/6K	1	POR



LED Bollard

Aster Series

LED bollard light IP65 having whistle shape diffuser placed on top. Ideal for architectural outdoor lighting suitable to illuminating Gardens and walkways.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Aster/8W	8W	3K/6K	1	8400/-



LED Bollard

Rapido Series

LED bollard light IP65 aesthetically designed aluminium housing landscape luminaire for sturdiness with high power LED as light source.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Rapido/9W	9W	3K/6K	1	10500/-
Rapido/12W	12W	3K/6K	1	12500/-

LED Wall Light

Rado Series

LED wall up-down light IP65 aesthetically designed aluminium housing landscape luminaire for sturdiness with high power LED as light source

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Rado/6W	6W	3K/6K	1	POR
Rado/12W	12W	3K/6K	1	POR



LED Ground Burriel

Levo Series

LED ground burial light IP67 suitable for walkable floors with a circular top cover and partial satin finish having toughened glass for outdoor use.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Levo/3W	3W	3K/6K	1	POR
Levo/5W	5W	3K/6K	1	POR
Levo/7W	7W	3K/6K	1	POR
Levo/9W	9W	3K/6K	1	POR
Levo/12W	12W	3K/6K	1	POR
Levo/18W	18W	3K/6K	1	POR
Levo/24W	24W	3K/6K	1	POR



LED Spike Light

Trio Series

Spike light IP65 in pressure die-cast aluminium housing best suitable for bush lighting.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Trio/5W	5W	3K/6K	1	2200/-
Trio/7W	7W	3K/6K	1	2400/-
Trio/9W	9W	3K/6K	1	2600/-
Trio/12W	12W	3K/6K	1	3200/-



LED Wall Washer

Neel Series

LED Wall Washer light can widely used to transform the interior and exterior area of any longitude. It can be used to make your walls and ceilings decorate with the extra light. This kind of product can be widely used in Temple, Gardens & City Gateway areas for decoration purposes.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Neel/12W	12W	3K/6K/RGB	1	POR
Neel/24W	24W	3K/6K/RGB	1	POR
Neel/36W	36W	3K/6K/RGB	1	POR



LED Strip Light

Poco Series

LED ground burial light IP67 suitable for walkable floors with a circular top cover and partial satin finish having toughened glass for outdoor use.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Poco/24W	24W	3K/4K/6K/RGB	30	1250/-
Poco/36W	36W	3K/4K/6K/RGB	30	3650/-
Poco/72W	72W	3K/4K/6K/RGB	30	5600/-



LED Wall Washer-Dmx

Duro Series


LED Wall Washer light can widely used to transform the interior and exterior area of any longitude. It can be used to make your walls and ceilings decorate with the extra light. This kind of product can be widely used in Temple, Gardens & City Gateway areas for decoration purposes.

Product Desc.	Wattage	CCT	Std. Packing	M.R.P. (Each)
Duro/6W	6W	3K/4K/6K/RGB	10	POR
Duro/15W	12W	3K/4K/6K/RGB	10	POR
Duro/18W	18W	3K/4K/6K/RGB	10	POR
Duro/24W	24W	3K/4K/6K/RGB	10	POR
Duro/36W	36W	3K/4K/6K/RGB	5	POR
Duro/50W	50W	3K/4K/6K/RGB	5	POR
Duro/70W	70W	3K/4K/6K/RGB	5	POR




Decorative Poles


EDP-1




EDP-2




EDP-3




EDP-4



EDP-5




EDP-6




Decorative Poles


EDP-7




EDP-8




EDP-9




EDP-10



EDP-11




EDP-12




Decorative Poles


EDP-13




EDP-14




EDP-15




EDP-16



EDP-17



EDP-18




Decorative Poles

EDP-19




EDP-20




EDP-21



EDP-22



EDP-23




EDP-24




Decorative Poles


EDP-25




EDP-26




EDP-27




EDP-28



EDP-29




EDP-30




Decorative Poles


EDP-31




EDP-32



EDP-33



EDP-34




EDP-35



EDP-36



Decorative Brackets



CAT No.

IG-10-15901
IG-10-20901
IG-10-25901




CAT No.

IG-12-10701
IG-12-15901




CAT No.

IG-14-15902
IG-14-15901




CAT No.

IG-10-15902
IG-10-20902
IG-10-25902




CAT No.

IG-12-10702
IG-12-15902



CAT No.

IG-14-10702
IG-14-15902



CAT No.

IG-11-10701
IG-11-15901




CAT No.

IG-13-10701
IG-13-15901




CAT No.

IG-15-12701
IG-15-15901



CAT No.

IG-11-10702
IG-11-15902



CAT No.

IG-13-10702
IG-13-15902




CAT No.

IG-15-12702
IG-15-15902




CAT No.

IG-16-10691
IG-16-15691




CAT No.

IG-18-5501




CAT No.

IG-20-12801




CAT No.

IG-16-10692
IG-16-15692



CAT No.

IG-18-10502




CAT No.

IG-20-12802




CAT No.

IG-17-12901
IG-17-15901




CAT No.

IG-19-101001
IG-19-151001




CAT No.

IG-21-151001




CAT No.

IG-17-12902
IG-17-15902



CAT No.

IG-19-101002
IG-19-151002



CAT No.

IG-21-151002

Octagonal Poles & Solar High Mast Poles



Modal No.	Length (Mtr)	Thickness (mm)	Top / Bottom (mm)
IG OP - 1	4	3	70/130
IG OP - 2	6	3	70/130
IG OP - 3	7	3	70/130
IG OP - 4	9	3	70/150
IG OP - 5	10	3	70/175
IG OP - 6	12	3	70/175

Easy to Instal the pole is generally 20 to 150 feet high, with multiple fixtures to distribute adequate light. Sports venues, airports, and highways are examples of a few locations that require high-mast lighting pole. Moreover, such areas are prone to accidents post-sunset making HMLs a mandatory inclusion. Main benefits of lighting mast are following:

1. Environment Friendly
2. Saves Energy
3. Cost-effective
4. Quality
5. Durability
6. Controlled Heat Emission

Tubular Poles / Step Pole



Modal No.	Length (Mtr)	Bottom (OD x Thickness) (mm)	Middle (OD x Thickness) (mm)	Top (OD x Thickness) (mm)
IG SP - 1	7	114 x 4.5	88 x 3.2	76 x 2.5
IG SP - 2	9.5	139 x 4.5	114 x 4.5	88 x 3.2
IG SP - 3	11	193 x 5.9	165 x 4.8	139 x 4.5
IG SP - 4	12	219 x 4.85	193 x 4.85	165 x 4.5
IG SP - 5	16	219 x 5.9	193 x 4.85	165 x 4.5

Easy to Instal the pole is generally 20 to 150 feet high, with multiple fixtures to distribute adequate light. Sports venues, airports, and highways are examples of a few locations that require high-mast lighting pole. Moreover, such areas are prone to accidents post-sunset making HMLs a mandatory inclusion. Main benefits of lighting mast are following:

1. Environment Friendly
2. Saves Energy
3. Cost-effective
4. Quality
5. Durability
6. Controlled Heat Emissionled

Stadium Poles And Lights



Modal No.	Length (Mtr)	Top / Bottom (mm)	Section	Light Arraignment (Nos)	Thickness (mm)
IG SSP -1	22	150 / 500	3	18	5/4/4
IG SSP -2	25	180 / 540	3	30	5/4/4
IG SSP -3	30	200 / 600	3	30	6/5/4

Easy to Instal the pole is generally 20 to 150 feet high, with multiple fixtures to distribute adequate light. Sports venues, airports, and highways are examples of a few locations that require high-mast lighting pole. Moreover, such areas are prone to accidents post-sunset making HMLs a mandatory inclusion. Main benefits of lighting mast are following:

1. Environment Friendly
2. Saves Energy
3. Cost-effective
4. Quality
5. Durability
6. Controlled Heat Emissionled

HIGH MAST POLES



Modal No.	Length (Mtr)	Section	Thickness (mm)	Top / Bottom (mm)	Base Plate (mm)
IG HMP -1	12	2	4/3	150 / 340	20
IG HMP -2	16	2	4/3	150 / 360	25
IG HMP -3	20	3	5/4/3	150 / 410	25
IG HMP -4	25	3	5/4/3	150 / 450	25
IG HMP -5	30	3	5/4/3	150 / 530	30

Easy to Instal the pole is generally 20 to 150 feet high, with multiple fixtures to distribute adequate light. Sports venues, airports, and highways are examples of a few locations that require high-mast lighting pole. Moreover, such areas are prone to accidents post-sunset making HMLs a mandatory inclusion. Main benefits of lighting mast are following:

- 1. Environment Friendly
- 2. Saves Energy
- 3. Cost-effective
- 4. Quality
- 5. Durability
- 6. Controlled Heat Emissionled